

WHAT IS CLAIMED IS:

1. A multimedia providing system, comprising:
a server capable of transmitting multimedia
content onto the Internet;

5 a multimedia conversion server capable of
obtaining the multimedia content and retransmitting the
content to the outside of the Internet; and

a multimedia terminal capable of obtaining the
multimedia content retransmitted and providing the
10 content for a user to use the content, wherein

the multimedia conversion server includes
first access means for accessing the server
through the Internet,

15 first obtaining means for obtaining markup
language and multimedia content from the server,

converter means for converting the markup language
and the multimedia content obtained by the first
obtaining means, into a format suitable for
communication with the multimedia terminal, and

20 transmitter means for retransmitting the markup
language and the multimedia content to the multimedia
terminal, and

the multimedia terminal includes

25 second access means for accessing the server
through the multimedia conversion server,

second obtaining means for obtaining the markup
language and the multimedia content retransmitted, and

0923475-08801
T0880"5742550

content onto Internet;

a multimedia conversion server capable of
obtaining the multimedia content and retransmitting the
content to the outside of the Internet; and

5 a multimedia terminal capable of obtaining the
multimedia content retransmitted and providing the
content for a user to use the content, wherein

the multimedia conversion server includes
first access means for accessing the server
10 through the Internet,

first obtaining means for obtaining markup
language and multimedia content from the server,

separator means for separating video information
from the multimedia content obtained by the first
15 obtaining means,

synthesizer means for synthesizing the separated
video information and the markup language obtained by
the first obtaining means to attain an image,

converter means for converting the image
20 synthesized by the synthesizer means and the multimedia
content obtained by the first obtaining means, into a
format suitable for communication with the multimedia
terminal, and

transmitter means for retransmitting the image and
25 the multimedia content converted by the converter means,
to the multimedia terminal, and

the multimedia terminal includes

of the multimedia terminal from the multimedia terminal,
and motion means for moving a position of the cursor
drawn, in accordance with the instruction received,

the converter means converts the image on which
5 the cursor is drawn, in place of the synthesized image,
and the obtained multimedia content, into a format
suitable for communication with the multimedia terminal,
and

the multimedia terminal further includes input
10 means for inputting an instruction of a user, and
transmitter means for transmitting the inputted
instruction to the multimedia conversion server.